Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	5703	((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 11:01
S3	119	(((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel$4 or encasulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 08:36
S4	2	("6466976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 14:46
S5	4	(("6590604") or ("6237025")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 14:46
S6	2	(("6590604") or ("6237025")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/09/16 14:47
S8	392	((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 14:51
S9	202	(((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 14:52
S10	202	(((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507"	US-PGPUB; USPAT	OR	ON	2004/09/16 14:53

S11	81	((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4	US-PGPUB; USPAT	OR	ON	2004/09/16 14:54
S12	63	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4)	US-PGPUB; USPAT	OR	ON	2004/09/16 15:13
S13	63	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2004/09/16 15:25
S14	3316390	@ad<= "20010507" and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2004/09/16 15:17
S15	109	@ad<= "20010507" and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2004/09/16 15:24
S16	3	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2004/09/16 15:18
S17	49	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2004/09/17 06:50

S18	233	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance)) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2004/09/17 06:50
S19	11	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance)) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and "point-to-point" and "layer 2 tunneling protocol"	US-PGPUB; USPAT	OR	ON	2004/09/17 07:32
S20	0	(decrpyt$4 or decompress$4) near4 lac and (encrpyt$4 or compress$4) near4 lns	US-PGPUB; USPAT	OR	ON	2004/09/17 07:33
S21	0	(encrpyt$4 or compress$4) near4 lac and (decrpyt$4 or decompress$4) near4 lns	US-PGPUB; USPAT	OR	ON	2004/09/17 07:34
S22	0	(encrpyt$4 or compress$4) near4 "access concentrator" and (decrpyt$4 or decompress$4) near4 server	US-PGPUB; USPAT	OR	ON	2004/09/17 07:34
S23	0	((encrpyt$4 or compress$4) near4 "access concentrator") and ((decrpyt$4 or decompress$4) near4 server)	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S24	0	((encrpyt$4 or compress$4) near4 "tunnel initiator") and ((decrpyt$4 or decompress$4) near4 server)	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S25	513	((decrpyt$4 or decompress$4) near4 server)	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S26	0	((decrpyt$4 or decompress$4) near4 server) and l2tp	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S27	22	((decrpyt$4 or decompress$4) near4 server) and ppp	US-PGPUB; USPAT	OR	ON	2004/09/17 07:38
S28	3965	(((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 08:04

S29	9297	(((709/222) or (709/228) or (709/200) or (709/202) or (709/219).CCLS. or (709/223).CCLS. or (709/235).CCLS.)) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 07:55
S30	2	((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel$4 or encasulat$4) and l2tp and (rule or parameter or preferance or preference or capabilit$4 or abilit$4) and (endpoint or lns) and ("tunnel initiator" or lac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/17 09:02
S31	0	l2tp and reset and renegotiate near8 (parameter or stting or prefference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:31
S32	0	l2tp and renegotiate near8 (parameter or stting or prefference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:32
S33	486	l2tp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:32
S34	3	l2tp and renegotiate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:32
S35	0	09/850176	US-PGPUB; USPAT	OR	ON	2005/04/14 12:40
S36	3868	((709/222) or (709/228) or (709/200) or (709/202)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:40
S37	45458	(network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:40

S38	6549	((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:41
S39	134	(((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel$4 or encasulat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S40	2	("6466976").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:41
S41	4	(("6590604") or ("6237025")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:41
S42	2	(("6590604") or ("6237025")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/14 12:41
S43	439	((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S44	210	(((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S45	210	(((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41

S46	85	((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S47	67	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S48	67	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S49	3332201	@ad<= "20010507" and (layer "2" tunneling protocol)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S50	117	@ad<= "20010507" and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S51	3	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and ("layer 2 tunneling protocol")	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S52	50	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance).ab.) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41

S53	244	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance)) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and "point-to-point"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S54	12	(((((network or internet) same (capab$5 or abilit$4 or parameter or rule or profile or preference or preferance)) and database and format and compres$5 and encrypt$4) and @ad<= "20010507") and negotiat$4) and (encapsulat$4 or tunnel$4) and "point-to-point" and "layer 2 tunneling protocol"	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S55	0	(decrpyt$4 or decompress$4) near4 lac and (encrpyt$4 or compress$4) near4 lns	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S56	0	(encrpyt$4 or compress$4) near4 lac and (decrpyt$4 or decompress$4) near4 lns	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S57	0	(encrpyt$4 or compress$4) near4 "access concentrator" and (decrpyt$4 or decompress$4) near4 server	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S58	0	((encrpyt$4 or compress$4) near4 "access concentrator") and ((decrpyt$4 or decompress$4) near4 server)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S59	0	((encrpyt$4 or compress$4) near4 "tunnel initiator") and ((decrpyt$4 or decompress$4) near4 server)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S60	592	((decrpyt$4 or decompress$4) near4 server)	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S61	0	((decrpyt$4 or decompress$4) near4 server) and l2tp	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S62	24	((decrpyt$4 or decompress$4) near4 server) and ppp	US-PGPUB; USPAT	OR	ON	2005/04/14 12:41
S63	4240	(((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41

S64	9540	(((709/222) or (709/228) or (709/200) or (709/202) or (709/219).CCLS. or (709/223). CCLS. or (709/235).CCLS.)) and @ad<="20010507"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S65	3	((((709/222) or (709/228) or (709/200) or (709/202) or (709/219)).CCLS.) and @ad<="20010507") and (tunnel$4 or encasulat$4) and l2tp and (rule or parameter or preferance or preference or capabilit$4 or abilit$4) and (endpoint or lns) and ("tunnel initiator" or lac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S66	0	l2tp and reset and renegotiate near8 (parameter or stting or prefference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S67	1	l2tp and renegotiate near8 (parameter or stting or prefference or service or QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S68	619	l2tp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S69	5	l2tp and renegotiate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:41
S70	115	(tunnel same connect$ near3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:43
S71	0	S70 same (point near2 point near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44
S72	11	S70 and (point near2 point near2 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44